



Discover Excellence

Maks PRO

Maks WELD

HYPERMAKS





ABOUT US

Over the past years Makspro group globally developed a strong infrastructure thus becoming one of the leaders in its business. MaksPro Group via its long term vision, adapted its infrastructure to be well equipped to face any local and global changes that may take place. Our products range supports industries like construction, oil and gas. Furthermore, we are committed to stocking significant inventory for the majority of the items in our portfolio. Our knowledgeable team is ready to serve you by recommending complete solutions, verifying stock, quoting, entering and expediting orders to ensure you get the product when you need it.



CRAFTED TO
CONQUER.

REGULATORS

We are manufacturer and supplier of welding regulators, our organization is topnotch in offering Welding Regulator to our clients in whole over world. it's used for controlling welding machine automation and might be availed in technically advanced range and specifications to satisfy demands of our clients. Designed for giving trouble free performance, Welding Regulator is widely employed in various engineering applications for welding and is on the market in bulk with us to satisfy rising client demand. Gas Regulators include models designed to be used with acetylene, liquefied propane, air, ammonia, argon, helium, hydrogen, oxygen, propane, CO2, and other corrosive and non-corrosive gases. they will help deliver an adjustable flow for compatible welding and cutting torches. See individual items for details.



- ◆ Brass adjusting screw with forged T-Handle
- ◆ Delrin insert bushing for durability, easier adjusting
- ◆ Die-forged brass spring housing cap provides greater strength and durability
- ◆ Stem-type seat mechanism
- ◆ Stainless steel diaphragm gives accurate long-lasting service
- ◆ Stainless ball in key for easy adjustment
- ◆ Adjusting spring pretested for quality assurance
- ◆ Regulators will deliver at least the stated upper range and in some cases may exceed the stated upper range
- ◆ Precision machined nozzle for optimum flow control



ACETYLENE REGULATOR



OXYGEN REGULATOR

CONFIRM TO
UL STD 252

ARGON REGULATOR

CONFIRM TO
UL STD 252

PROPANE/LPG REGULATOR

CONFIRM TO
UL STD 252

CO2 REGULATOR


UNDER ISO9001
QUALITY SYSTEMELECTRICALLY HEATED
CO2 REGULATORCONFIRM TO
UL STD 252

NITROGEN REGULATOR

CONFIRM TO
UL STD 252HIGH PRESSURE
NITROGEN REGULATOR

PEOPLE BUY RESULTS
NOT **FEATURES.**





WELDING & ACCESSORIES



CUTTING ATTACHMENT



WELDING HANDLE



EARTH CLAMP



TIG TORCH



TWIN HOSE



TORCH HEAD



CABLE CONNECTOR



WELDING HOLDER



ARGON HOSE



COLLET PIN



CERAMIC CUP



COLLECT BODY



SHORT BACK CAP 57Y04



GAS LENS COLLECT



LONG BACKCAP 57Y02



TUNGSTEN ELECTRODE



GOUGING ELECTRODE



WELDING OVEN



FIBER METAL WELDING HELMET
WITH HARD HAT



FIBER METAL WELDING HELMET



WELDING HAND SHIELD PLASTIC



DARK FACE SHIELD HEAD GEAR



LIGHTER



HEAD GEAR

THE QUALITY YOU
SEARCHED.





CUTTING & GRINDING



THIN CUTTING DISC



CUTTING/GRINDING DISC SS/CS



DIAMOND CUTTING DISC



FLAP DISC CS



FLAP DISC SS



DIAMOND GRINDING WHEEL



FLAP WHEEL SS/CS



TWISTED CUP BRUSH CS/SS



CRIMPED CUP BRUSH CS/SS



TWIST KNOT WHEEL SS/CS



END WIRE BRUSH



GRINDING STONE





NON SPARKING TOOLS



**NON-SPARKING HAMMER
WRENCH BOX**



**NON-SPARKING HAMMER
WRENCH OPEN**



NON-SPARKING BENT SPANNER



**NON-SPARKING ADJUSTABLE
WRENCH**



**NON-SPARKING COMBINATION
SPANNER**



NON-SPARKING RATCHET WRENCH



NON-SPARKING PIPE WRENCH



NON-SPARKING WEDGE



NON-SPARKING SLEDGE HAMMER



NON-SPARKING SHOVEL



OUR MOTIVE IS
QUALITY.

CARBIDE BURRS



SHAPE-A



SHAPE-B



SHAPE-C



SHAPE-D



SHAPE-E



SHAPE-F



SHAPE-G



SHAPE-H



SHAPE-L



SHAPE-M

Style	Cutting Diameter	Cutting Length	Shank Diameter	The Total Length
A0210M06	2mm	10mm	6mm	55mm
A0314M06	3mm	14mm	6mm	55mm
A0414M06	4mm	14mm	6mm	55mm
A0616M06	6mm	16mm	6mm	65mm
A0820M06	8mm	20mm	6mm	65mm
A1020M06	10mm	20mm	6mm	65mm
A1225M06	12mm	25mm	6mm	65mm
A1625M06	16mm	25mm	6mm	65mm
B0210M06	2mm	10mm	6mm	55mm
B0314M06	3mm	14mm	6mm	55mm
B0414M06	4mm	14mm	6mm	55mm
B0616M06	6mm	16mm	6mm	65mm
B0820M06	8mm	20mm	6mm	65mm
B1020M06	10mm	20mm	6mm	65mm
B1225M06	12mm	25mm	6mm	65mm
B1625M06	16mm	25mm	6mm	65mm
C0210M06	2mm	10mm	6mm	55mm
C0314M06	3mm	14mm	6mm	55mm
C0414M06	4mm	14mm	6mm	55mm
C0616M06	6mm	16mm	6mm	65mm
C0820M06	8mm	20mm	6mm	65mm
C1020M06	10mm	20mm	6mm	65mm
C1225M06	12mm	25mm	6mm	65mm
C1625M06	16mm	25mm	6mm	65mm

Style	Cutting Diameter	Cutting Length	Shank Diameter	The Total Length
D0202M06	2mm	1.8mm	6mm	55mm
D0303M06	3mm	2.7mm	6mm	55mm
D0403M06	6mm	3mm	6mm	55mm
D0605M06	6mm	5mm	6mm	65mm
D0807M06	8mm	7mm	6mm	65mm
D1009M06	10mm	9mm	6mm	65mm
D1210M06	12mm	10mm	6mm	65mm
D1614M06	16mm	14mm	6mm	65mm
E0307M06	3mm	7mm	6mm	55mm
E0610M06	6mm	10mm	6mm	65mm
E0813M06	8mm	13mm	6mm	65mm
E1016M06	10mm	16mm	6mm	65mm
E1220M06	12mm	20mm	6mm	65mm
E1625M06	16mm	25mm	6mm	65mm
F0313M06	3mm	13mm	6mm	55mm
F0618M06	6mm	18mm	6mm	65mm
F0820M06	8mm	20mm	6mm	65mm
F1020M06	10mm	20mm	6mm	65mm
F1225M06	12mm	25mm	6mm	65mm
F1625M06	16mm	25mm	6mm	65mm
G0313M06	3mm	13mm	6mm	55mm
G0618M06	6mm	18mm	6mm	65mm
G0820M06	8mm	20mm	6mm	65mm
G1020M06	10mm	20mm	6mm	65mm
G1225M06	12mm	25mm	6mm	65mm
G1625M06	16mm	25mm	6mm	65mm

Style	Cutting Diameter	Cutting Length	Shank Diameter	The Total Length
H0313M06	3mm	13mm	6mm	55mm
H0618M06	6mm	18mm	6mm	65mm
H0820M06	8mm	20mm	6mm	65mm
H1025M06	10mm	25mm	6mm	65mm
H1232M06	12mm	32mm	6mm	80mm
H1636M06	16mm	36mm	6mm	80mm
L0313M06	3mm	13mm	6mm	55mm
L0616M06	6mm	16mm	6mm	65mm
L0822M06	8mm	22mm	6mm	65mm
L1025M06	10mm	25mm	6mm	65mm
L1228M06	12mm	28mm	6mm	80mm
L1633M06	16mm	33mm	6mm	80mm
M0311M06	3mm	11mm	6mm	55mm
M0618M06	6mm	18mm	6mm	65mm
M0820M06	8mm	20mm	6mm	65mm
M1020M06	10mm	20mm	6mm	65mm
M1225M06	12mm	25mm	6mm	65mm
M1625M06	16mm	25mm	6mm	65mm

CARBIDE BURRS SIZE TABLE

SUPERIOR QUALITY **GUARANTEED.**




The background of the slide is a solid orange color. Overlaid on this background is a repeating pattern of white line-art illustrations of various tools. These tools include different types of pliers, screwdrivers, hammers, wrenches, and other hand tools, scattered across the entire area.

ANNULAR CUTTERS

HSS ANNULAR CUTTER (CORE DRILL) WITH WELDON / UNIVERSAL SHANK

HSS-E and TiAlN coated Annular Cutters can be supplied according to requirement

- Made by solid high performance High Speed Steel
- Weldon shank, with more stable clamping for stable cutting and finishing of hole
- With multi-cut, help to remove chips and reducing cutting resistance.
- @ 19.05 mm (3/4") Weldon shank
- Suitable for most brands of magnetic drilling machines and drilling presses.




AVAILABLE SIZES

Cutter Dia mm	Cutting Depth 25mm	Cutting Depth 50mm	Cutter Dia mm	Cutting Depth 25mm	Cutting Depth 50mm	Cutter Dia mm	Cutting Depth 25mm	Cutting Depth 50mm
12	HW25-0012	HW50-0012	30	HW25-0030	HW50-0030	48	HW25-0048	HW50-0048
13	HW25-0013	HW50-0013	31	HW25-0031	HW50-0031	49	HW25-0049	HW50-0049
14	HW25-0014	HW50-0014	32	HW25-0032	HW50-0032	50	HW25-0050	HW50-0050
15	HW25-0015	HW50-0015	33	HW25-0033	HW50-0033	51	HW25-0051	HW50-0051
16	HW25-0016	HW50-0016	34	HW25-0034	HW50-0034	52	HW25-0052	HW50-0052
17	HW25-0017	HW50-0017	35	HW25-0035	HW50-0035	53	HW25-0053	HW50-0053
18	HW25-0018	HW50-0018	36	HW25-0036	HW50-0036	54	HW25-0054	HW50-0054
19	HW25-0019	HW50-0019	37	HW25-0037	HW50-0037	55	HW25-0055	HW50-0055
20	HW25-0020	HW50-0020	38	HW25-0038	HW50-0038	56	HW25-0056	HW50-0056
21	HW25-0021	HW50-0021	39	HW25-0039	HW50-0039	57	HW25-0057	HW50-0057
22	HW25-0022	HW50-0022	40	HW25-0040	HW50-0040	58	HW25-0058	HW50-0058
23	HW25-0023	HW50-0023	41	HW25-0041	HW50-0041	59	HW25-0059	HW50-0059
24	HW25-0024	HW50-0024	42	HW25-0042	HW50-0042	60	HW25-0060	HW50-0060
25	HW25-0025	HW50-0025	43	HW25-0043	HW50-0043	61	HW25-0061	HW50-0061
26	HW25-0026	HW50-0026	44	HW25-0044	HW50-0044	62	HW25-0062	HW50-0062
27	HW25-0027	HW50-0027	45	HW25-0045	HW50-0045	63	HW25-0063	HW50-0063
28	HW25-0028	HW50-0028	46	HW25-0046	HW50-0046	64	HW25-0064	HW50-0064
29	HW25-0029	HW50-0029	47	HW25-0047	HW50-0047	65	HW25-0065	HW50-0065

TCT ANNULAR CUTTER (CORE DRILL) WITH UNIVERSAL SHANK

- Universal shank, for various magnetic drills.
- Selected special – purpose carbide tips with multi-cut for ply-cutting and lower function. Reduced damage of tips and improved performance of chips removal
- Suitable for most brands of magnetic drilling machines and drilling presses



AVAILABLE SIZES

Cutter Dia mm	Cutting Depth 25mm	Cutting Depth 50mm	Cutter Dia mm	Cutting Depth 25mm	Cutting Depth 50mm	Cutter Dia mm	Cutting Depth 25mm	Cutting Depth 50mm
12	TU35-2112	TU50-2212	28	TU35-2128	TU50-2228	45	TU35-2145	TU50-2245
13	TU35-2113	TU50-2213	29	TU35-2129	TU50-2229	46	TU35-2146	TU50-2246
14	TU35-2114	TU50-2214	30	TU35-2130	TU50-2230	47	TU35-2147	TU50-2247
15	TU35-2115	TU50-2215	31	TU35-2131	TU50-2231	48	TU35-2148	TU50-2248
16	TU35-2116	TU50-2216	32	TU35-2132	TU50-2232	49	TU35-2149	TU50-2249
17	TU35-2117	TU50-2217	33	TU35-2133	TU50-2233	50	TU35-2150	TU50-2250
18	TU35-2118	TU50-2218	34	TU35-2134	TU50-2234	51	TU35-2151	TU50-2251
19	TU35-2119	TU50-2219	35	TU35-2135	TU50-2235	52	TU35-2152	TU50-2252
20	TU35-2120	TU50-2220	36	TU35-2136	TU50-2236	53	TU35-2153	TU50-2253
21	TU35-2121	TU50-2221	37	TU35-2137	TU50-2237	54	TU35-2154	TU50-2254
22	TU35-2122	TU50-2222	38	TU35-2138	TU50-2238	55	TU35-2155	TU50-2255
23	TU35-2123	TU50-2223	39	TU35-2139	TU50-2239	56	TU35-2156	TU50-2256
24	TU35-2124	TU50-2224	40	TU35-2140	TU50-2240	57	TU35-2157	TU50-2257
25	TU35-2125	TU50-2225	41	TU35-2141	TU50-2241	58	TU35-2158	TU50-2258
26	TU35-2126	TU50-2226	42	TU35-2142	TU50-2242	59	TU35-2159	TU50-2259
27	TU35-2127	TU50-2227	43	TU35-2143	TU50-2243	60	TU35-2160	TU50-2260
			44	TU35-2144	TU50-2244			



WE ARE NOT COMPROMISE ON
QUALITY.

FIRE BLANKET



FIRE BLANKET




FIRE BLANKET IN SOFT BAG



FIBERGLASS FIRE BLANKET




PVC COATED FIBERGLASS FIRE BLANKET



SILICONE COATED FIRE BLANKET



ACRYLIC COATED FIRE BLANKET



PU COATED FIBERGLASS FIRE BLANKET



FR TARPAULIN

*"The secret of change is to focus all your energy
not on fighting the old but on building the new."*

Socrates, Ancient Greek Philosopher

Maks WELD

HYPERMAKS

Maks PRO

30N Gould St, STE R
Sheridan, Wyoming 82801
USA

Sole Distributor

ASAS AL RIYADA TRADING CO.
شركة أساس الرياض التجارية
Khobar | Jubail | Dammam

WWW.MAKSPROGROUP.COM